



COLLECTION 2019/2020

MARKER.NET

ENGLISH

THE WORLD OF



MARKER 2019/2020

RULE THE MOUNTAIN

BINDINGS

TOURING

PAGE 04

NEW 2019/20

We extend our touring range by another highlight: the Kingpin M-Werks. The perfect combination of the lightweight Marker ALPINIST and the performance-oriented KINGPIN made of high-tech materials.

ROYAL FAMILY

PAGE 10

COMPETITION & RACE

PAGE 14

RENTAL / DEMO

PAGE 19

ACCESSORIES

PAGE 22

BINDINGS OVERVIEW

PAGE 24



PROTECTIVE SNOW EQUIPMENT

HELMETS

PAGE 27

NEW 2019/20

The brand-new CONVOY offers a completely new designed shell and perfect fit. Available in PLUS, basic and junior version.

GOGGLES

PAGE 36

NEW 2019/20


SQUADRON – the all new frameless google

PROTECTORS

PAGE 42

PSE OVERVIEW

PAGE 44



MARKER POS

PAGE 46




PLAY
TOGETHER 2



MARKER KINGPIN M-WERKS – TOURING


WE REALLY PUSHED EVERY EXISTING TECHNOLOGY TO MAX OUT THE POSSIBILITIES. AS A RESULT HERE COMES THE NEW KINGPIN M-WERKS.



| | |
|-----------------------|---|
| NEW | KINGPIN M-WERKS 12 |
| Category | Alpine Touring |
| Brake width | 75 - 100 mm, 100 - 125 mm |
| DIN range | 5.0 - 12.0 |
| Rec. skier's weight | max. 110 kg |
| Stand height toe/heel | 18 mm / 25 mm |
| Toe system | PinTech |
| Step-in heel | Rotate Pivot |
| Color | Black - Red |
| Weight w/o / w brake | 540 g / 620 g |
| Order No. | 7831T1CS (75 - 100 mm) 7831T1CW (100 - 125 mm) |

MARKER KINGPIN M-WERKS - FEATURES

- NEW** CARBON REINFORCED PIN TOE
- NEW** ERGONOMIC SKI/WALK LEVER
- NEW** XXL POWER TRANSMITTER
- NEW** ERGONOMIC CLIMBING AIDS
- NEW** CARBON REINFORCED HEEL



DALBELLO LUPO AIR - FREETOURING

THE PERFECT MATCH –
Developed for optimized synergy and maximized up- & downhill performance



MARKER ALPINIST 12

Category Alpine Touring
Brake width 90 mm (available as accessory)
 105 mm (available as accessory)
 115 mm (available as accessory)
DIN range 6.0 - 12.0
Rec. skier's weight max. 110 kg
Toe system PinTech
Heel Alpinist Heel
Color Black - Red (C1)
 Black - Titanium (C2)
Weight w.o. / w brake 245 g (w.o.), 335 g (w)
Order No. 7833S1MA (C1)
 7833S1MB (C2)



MARKER ALPINIST 9

Category Alpine Touring
Brake width 90 mm (available as accessory)
 105 mm (available as accessory)
 115 mm (available as accessory)
DIN range 4.0 - 9.0
Rec. skier's weight max. 110 kg
Toe system PinTech
Heel Alpinist heel
Color Black - Turquoise (C1)
 Black - Titanium (C2)
Weight w.o. / w brake 245 g (w.o.), 335 g (w)
Order No. 7633S1MC (C1)
 7633S1MB (C2)



MARKER ALPINIST 12 LONG TRAVEL

Category Alpine Touring
Brake width 90 mm
 105 mm
DIN range 6.0 - 12.0
Rec. skier's weight max. 110 kg
Toe system PinTech
Heel Alpinist heel
Color Black - Titanium
Weight w. brake 345 g
Order No. 7834S1MS (90 mm)
 7834S1MW (105 mm)



MARKER ALPINIST 9 LONG TRAVEL

Category Alpine Touring
Brake width 90 mm
 105 mm
DIN range 4.0 - 9.0
Rec. skier's weight max. 110 kg
Toe system PinTech
Heel Alpinist heel
Color Black - Titanium
Weight w. brake 345 g
Order No. 7634S1MS (90 mm)
 7634S1MW (105 mm)



PERFORMANCE FEATURES

- Heel housing and boot flush**
Simple adjustment to boot sole length
- Wide drill pattern 38 mm**
Excellent power transmission for a light-weight binding of this category
- Active length compensation**
Up to 4 mm during ski flex
- Light alpinist brake (90/105/115 mm)**
Easy adjustment
Ultra lightweight, 90 g only

WALKING FEATURES

- Visual step-in support**
Integrated rubber pads simplify the step-in
- Ultralight technologies**
Twin spring toe
Carbon reinforced toe
- Crampon-compatible (80/90/105/120 mm)**
New 80 mm crampon
Kingpin crampon also compatible
- 15 mm length adjustment**
Allows maximum length adjustment



2019/20

KINGPIN

KINGPIN 10 DEMO

Category Backcountry Touring
Brake width 75 - 100 mm
DIN range 5.0 - 10.0
Rec. skier's weight 30 - 105 kg
Toe system PinTech
Heel Rotate Pivot
Color Black - Copper
Weight w. brake 983 g
Order No. 7734S1MA



KINGPIN 13 DEMO

Category Backcountry Touring
Brake width 100 - 125 mm
DIN range 6.0 - 13.0
Rec. skier's weight <120 kg
Toe system PinTech
Heel Rotate Pivot
Color Black - Copper
Weight w. brake 1001 g
Order No. 7934S1MB



KINGPIN 10

Category Backcountry Touring
Brake width 75 - 100 mm, 100 - 125 mm
DIN range 5.0 - 10.0
Rec. skier's weight 30 - 105 kg
Stand height toe/heel 21 mm
Toe system PinTech
Step-in heel Rotate Pivot
Color Black - Copper
Weight w.o / w. brake 650 g / 730 g
Order No. 7733S1MA (75 - 100 mm)
 7733S1MB (100 - 125 mm)



F12 TOUR EPF

Category Backcountry Touring
Size S 265 - 325 mm
 L 305 - 365 mm
Brake width 110 mm
DIN range 4.0 - 12.0
Rec. skier's weight <120 kg
Stand height toe/heel 34/36 mm
Toe system Triple Pivot light
Afd Gliding Plate Stainless steel
Heel Hollow Linkage
Color Black - Anthracite
Weight w. brake 1096 g
Order No. 7816R1SE (S)
 7816R1LE (L)



KINGPIN 13

Category Backcountry Touring
Brake width 75 - 100 mm, 100 - 125 mm
DIN range 6.0 - 13.0
Rec. skier's weight < 120kg
Stand height toe/heel 21 mm
Toe system PinTech
Step-in heel Rotate Pivot
Color Black - Copper
Weight w.o / w. brake 650 g / 730 g
Order No. 7933S1MA (75 - 100 mm)
 7933S1MB (100 - 125 mm)



F10 TOUR

Category Backcountry Touring
Size S 265 - 325
 L 305 - 365
Brake width 90 mm
DIN range 3.0 - 10.0
Rec. skier's weight 30 - 105 kg
Stand height toe/heel 34/36 mm
Toe system Triple Pivot light
Afd Gliding Plate Active AFD
Heel Hollow Linkage
Color Black - White
Weight w. brake 1056 g
Order No. 7716S1TC (S)
 7716S1TD (L)

**DUKE PRO EPF 18**

| | |
|------------------------------|-----------------------------|
| Category | Ride&Hike Hardcore Freeride |
| Size | S 265 - 325 L 305 - 365 |
| Brake width | 110 mm |
| DIN range | 8.0 - 18.0 |
| Rec. skier's weight | 60 + kg |
| Stand height toe/heel | 34/36 mm |
| Toe system | Triple Pivot elite 2 |
| Afd Gliding Plate | Stainless steel |
| Heel | Inter Pivot 2 |
| Color | Black |
| Weight w. brake | 1395 g |
| Order No. | 7916S1SA 7516S1LA |



UPDATE

GRIFFON 13 ID

| | |
|------------------------------|---|
| Category | Freeride/Freestyle |
| Brake width | 90 mm, 100 mm, 110 mm, 120 mm |
| DIN range | 4.0 - 13.0 |
| Rec. skier's weight | <120 kg |
| Stand height toe/heel | 18/24 mm |
| Toe system | Triple Pivot elite 2 |
| Afd Gliding Plate | Stainless steel |
| Heel | Inter Pivot 2 |
| Color | Black (C1), White (C2) |
| Weight w. brake | 1016 g, 1018 g, 1019 g, 1022 g |
| Order No. C1/C2 | 7524S1GA (90 mm), 7524T1GG (100 mm), 7524S1GB (110 mm), 7524S1GC (120 mm)/ 7524S1GD (90 mm), 7524T1GH (100 mm), 7524S1GE (110 mm), 7524S1GF (120 mm) |

**BARON EPF 13**

| | |
|------------------------------|----------------------------|
| Category | Ride&Hike Freeride |
| Size | S 265 - 325 L 305 - 365 |
| Brake width | 110 mm |
| DIN range | 4.0 - 13.0 |
| Rec. skier's weight | <120 kg |
| Stand height toe/heel | 34/36 mm |
| Toe system | Triple Pivot elite 2 |
| Afd Gliding Plate | Stainless steel |
| Heel | Inter Pivot 2 |
| Color | Black |
| Weight w. brake | 1390 g |
| Order No. | 7516S1SA 7516S1LA |



UPDATE

SQUIRE 11 ID

| | |
|------------------------------|--|
| Category | Freeride/Freestyle |
| Brake width | 90 mm, 100 mm (only C1+C3), 110 mm |
| DIN range | 3.0 - 11.0 |
| Rec. skier's weight | 30 - 110 kg |
| Stand height toe/heel | 18/24 mm |
| Toe system | Triple Pivot light |
| Afd Gliding Plate | Stainless steel |
| Heel | Hollow Linkage |
| Color | White (C1), Teal - Black (C2), Black (C3) |
| Weight w. brake | 1016 g, 1018 g, 1019 g, 1022 g |
| Order No. C1/C2/C3 | 7424S1MA (90 mm), 7424T1MG (100 mm), 7424S1MB (110 mm)/ 7424T1MC (90 mm) 7424T1MD (110 mm)/ 7424S1ME (90 mm), 7424T1MH (100 mm), 7424S1MF (110 mm) |

**JESTER 18 PRO ID**

| | |
|------------------------------|---------------------------------------|
| Category | Hardcore Freeride/Freestyle |
| Brake width | 90 mm 120 mm |
| DIN range | 8.0 - 18.0 |
| Rec. skier's weight | 60 + kg |
| Stand height toe/heel | 18/24 mm |
| Toe system | Triple Pivot elite 2 |
| Afd Gliding Plate | Stainless steel |
| Heel | Inter Pivot 2 |
| Color | Black - Flo-Red |
| Weight w. brake | 1085 g/ 1088 g |
| Order No. | 7924S1JS (90 mm) 7924S1JB (120 mm) |



UPDATE

JESTER 16 ID

| | |
|------------------------------|--|
| Category | Freeride/Freestyle |
| Brake width | 90 mm 100 mm 110 mm |
| DIN range | 6.0 - 16.0 |
| Rec. skier's weight | 60 + kg |
| Stand height toe/heel | 18/24 mm |
| Toe system | Triple Pivot elite 2 |
| Afd Gliding Plate | Stainless steel |
| Heel | Inter Pivot 2 |
| Color | Black |
| Weight w. brake | 1070 g |
| Order No. | 7624S1JA (90 mm) 7624T1JD (100 mm) 7624S1JB (110 mm) |

SOLE.ID - EASY & COMFORTABLECompatible with every kind of ski boot
ISO alpine 5355 & touring boot 9523

Easy to handle

Uncompromising performance

Height adjustable gliding plate to fit for any kind of
ski boot (alpine ISO 5355 and touring ISO 9523)



UPDATE

FREE TEN ID

Category Junior Freeride (+ screw kit)

Brake width 85 mm, 100 mm

DIN range 3.0 - 10.0

Rec. skier's weight 30 - 105 kg

Stand height toe/heel 18/20 mm

Toe system Triple Pivot light

Afd Gliding Plate Gliding AFD

Heel Compact 3

Color Black - White

Weight w. brake 750 g

Order No. 7224T1MA
7224T1MB



NEW

FREE 7

Category Junior Freeride

Brake width 85 mm

DIN range 2.0 - 7.0

Rec. skier's weight 24-75 kg

Stand height toe/heel 15/22 mm

Toe system 4-linkage jr2

Afd Gliding Plate Active AFD

Heel Junior

Color Black (C1), White - Silver (C2)


Weight w. brake 572 g

Order No. 6224T1MS
6224T1MW



MARKER ROYAL FAMILY - FREERIDE/FREESTYLE

ONE BINDING SERIES TO RULE THEM ALL.



2019/20

COMPETITION & RACE



RACE X-CELL 16

Category Race
 Brake width 85 mm
 DIN range 6.0 - 16.0
 Rec. skier's weight 60 + kg
 Stand height toe/heel 15 mm / 18 mm
 Toe system Xcell
 Afd Gliding Plate Stainless steel
 Heel TCX
 Color Black - Flo-Red (C1), White - Black - Red (C2)
 Weight w. brake 1199 g
 Order No. 6920R1MS (C1), 6920S1TC (C2)



RACE X-CELL 12

Category Race
 Brake width 85 mm
 DIN range 4.0 - 12.0
 Rec. skier's weight <120 kg
 Stand height toe/heel 15 mm / 18 mm
 Toe system Xcell
 Afd Gliding Plate Stainless steel
 Heel TCX
 Color Black - Flo-Red (C1), White - Black - Red (C2)
 Weight w. brake 1168 g
 Order No. 6820R1MS (C1), 6820S1TC (C2)



RACE X-CELL 24

Category Race Competition
 Brake width 85 mm
 DIN range 12.0 - 24.0
 Rec. skier's weight 60 + kg
 Stand height toe/heel 15 mm / 18 mm
 Toe system Xcell
 Afd Gliding Plate Stainless steel
 Heel TCX
 Color Black-flo-red (C1), White-Black-Red (C2)
 Weight w. brake 1327 g
 Order No. 7130R1MS (C1), 7130S1TC (C2)



RACE 10 TCX

Category Race Junior
 Brake width 85 mm
 DIN range 3.0 - 10.0
 Rec. skier's weight 30 - 105 kg
 Stand height toe/heel 15 mm / 18 mm
 Toe system 2linkage
 Afd Gliding Plate Stainless steel
 Heel TCX
 Color Black - Flo-Red (C1), White - Black - Red (C2)
 Weight w. brake 1083 g
 Order No. 6520R1MT (C1), 6521S1TC (C2)



RACE X-CELL 18

Category Race Competition
 Brake width 85 mm
 DIN range 8.0 - 18.0
 Rec. skier's weight 60 + kg
 Stand height toe/heel 15 mm / 18 mm
 Toe system Xcell
 Afd Gliding Plate Stainless steel
 Heel TCX
 Color Black-Flo-Red (C1), White-Black-Red (C2)
 Weight w. brake 1303 g
 Order No. 7120R1MS (C1), 7120S1TC (C2)

X-CELL - Impressive power transmission



X-cell Toe

- Increased power transmission
- Greater precision and control
- Boot stays centered / Increased retention
- X-Cell Piston absorbs short, initial impacts



TCX HEEL

- Increased vertical energy absorption
- Increased boot lug purchase
- Wider Heel connection
- Better power transmission



RACE 10

Category Race Junior
 Brake width 85 mm
 DIN range 3.0 - 10.0
 Rec. skier's weight 30 - 105 kg
 Stand height toe/heel 15 mm / 20 mm
 Toe system 2linkage
 Afd Gliding Plate Stainless steel
 Heel Compact 3
 Color black - flo-red (C1), white - black - red (C2)
 Weight w. brake 833 g
 Order No. 6520R1MS (C1), 6520S1TC (C2)



RACE JUNIOR 8

Category Race Junior
 Brake width 85 mm
 DIN range 2.0 - 8.0
 Rec. skier's weight 25 - 100 kg
 Stand height toe/heel 15 mm / 20 mm
 Toe system 2linkage
 Afd Gliding Plate Stainless steel
 Heel Compact 3
 Color black - flo-red (C1), white - black - red (C2)
 Weight w. brake 833 g
 Order No. 6320R1MS (C1), 6320S1TC (C2)
 -> Espacily designd for junior boots



WORLD CUP PC INTERFACE

| | | |
|----------------------------|-----------------------|-----------------------|
| | WC PC Interface 10 mm | WC PC Interface 14 mm |
| Category | Competition & Race | Competition & Race |
| Stand height System / Heel | 12 mm / 10 mm | 16 mm / 14 mm |
| Width / Length | 59 / 542 mm | 59 / 542 mm |
| Sole Length | 260 - 362 mm | 260 - 362 mm |
| Color | Black | Black |
| Weight (pair) | 644 g | 709 g |
| Order No. | 2020R1SS | 2022R1SS |



JUNIOR RACE INTERFACE

Category Competition & Race
 Stand height System / Heel 14 mm / 16 mm
 Width / Length 59 / 542 mm
 Sole Length 210 - 334 mm
 Color Black
 Weight (pair) 335 g
 Order No. 2027O1MB



NEW X-CELL 16 GW

Category All Mountain Race
 Brake width 90 mm
 DIN range 6.0 - 16.0
 Rec. skier's weight 60 + kg
 Stand height toe/heel 15 mm / 18 mm
 Toe system Xcell
 Afd Gliding Plate Stainless steel
 Heel TCX
 Color Black
 Weight w. brake 1199 g
 Order No. 6920T1MB



NEW X-CELL 12 GW

Category All Mountain Race
 Brake width 90 mm
 DIN range 4.0 - 12.0
 Rec. skier's weight <120 kg
 Stand height toe/heel 15 mm / 18 mm
 Toe system Xcell
 Afd Gliding Plate Stainless steel
 Heel TCX
 Color Black
 Weight w. brake 1168 g
 Order No. 6820T1MB



UPDATE 12.0 TPX

Category Piste All Mountain
 Brake width 90 mm
 DIN range 4.0 - 12.0
 Rec. skier's weight <120 kg
 Stand height toe/heel 15 mm / 18 mm
 Toe system TPX
 Afd Gliding Plate Stainless steel
 Heel TCX light
 Color Black - Anthracite
 Weight w. brake 974 g
 Order No. 6820T1MA



UPDATE

11.0 TP

Category Piste / All Mountain
 Brake width 90 mm, 110 mm
 DIN range 3.0 - 11.0
 Rec. skier's weight 30 - 110 kg
 Stand height toe/heel 16,5/18 mm
 Toe system Triple Pivot Compact 2
 Afd Gliding Plate Stainless steel
 Step-in heel TCX Light
 Color Black - Anthracite (C1), White (C2)
 Weight (pair) 940 g
 Order No. 6720T1MA (C1), 6720S1MB (C2)
 6720T1MC (C1), 6720S1MD (C2)



UPDATE

10.0 TP

Category Piste / All Mountain
 Brake width 85 mm
 DIN range 3.0 - 10.0
 Rec. skier's weight 30 - 105 kg
 Stand height toe/heel 15/20 mm
 Toe system Triple Pivot Compact 2
 Afd Gliding Plate Stainless steel
 Step-in heel Compact 3
 Color Black - Anthracite
 Weight (pair) 759 g
 Order No. 6520T1MA



UPDATE

7.0

Category Junior Piste All Mountain
 Brake width 70 mm
 DIN range 2.0 - 7.0
 Rec. skier's weight 24-75 kg
 Stand height toe/heel 15/22 mm
 Toe system 4-linkage jr2
 Afd Gliding Plate Active AFD
 Heel Junior
 Color Black - Anthracite (C1), White (C2)
 Weight w. brake 575 g
 Order No. 6220T1MA (C1), 6220T1MB (C2)



UPDATE

4.5

Category Junior Piste All Mountain
 Brake width 70 mm, 85 mm
 DIN range 0.75 - 4.5
 Rec. skier's weight 12-57 kg
 Stand height toe/heel 15/22 mm
 Toe system 4-linkage jr2
 Afd Gliding Plate Active AFD
 Heel Junior
 Color Black - Anthracite (C1)
 White (C2)
 Weight w. brake 568 g
 Order No. 6120T1MA (C1), 6120T1MB (C2)
 6120T1MC (85 mm, C1)



2019/20

DEMO RENTAL

Easy & Comfort



**FDT Plate System
 BULK (5 PAIR)**
 Order No. 2064T1MA



**FDT High Performance Plate
 BULK (5 PAIR)**
 Order No. 2064Q1MP



**FDT JUNIOR PLATE
 BULK (5 PAIR)**
 Order No. 2075S1SS, 2075S1SL

FDT - MOST INNOVATIVE & EASY RENTAL SYSTEM



- Angled scale
- Integrated barcode
- Easy DIN setting Scala
- Good visible forward pressure

- Low stand height
- Wide rail system
- GripWalk compatible

Concept of FDT system in the junior binding

- Forward pressure indicator at the side
- Safety lever, no adjustment possible when boot is in the binding
- Less mistakes and better visibility
- Colour Code fits to 4 Factor System
- Integrated Barcode



FDT TPX 12
 Category Piste / All Mountain
 Brake width 90 mm, 90 mm (System)
 DIN range 4.0 - 12.0
 Rec. skier's weight < 120 kg
 Stand height toe/heel 25 mm
 Toe system TPX
 Afd Gliding Plate Stainless steel
 Step-in heel TCX light
 Color Black - White
 Weight w.o plate 1001 g
 Order No. 6862S1MC
 6862S1MCS (System)



| | 7.0 RTL | 4.5 RTL |
|-----------------------|--------------------|--------------------|
| Category | Junior | Junior |
| Brake width | 70 mm | 70 mm |
| DIN range | 2.0 - 7.0 | 0.75 - 4.5 |
| Rec. skier's weight | 24-75 kg | 12-57 kg |
| Stand height toe/heel | 15 mm / 22 mm | 15 mm / 22 mm |
| Toe system | 4-linkage jr2 | 4-linkage jr2 |
| Afd Gliding Plate | Active AFD | Active AFD |
| Heel | Junior | Junior |
| Color | black - anthracite | black - anthracite |
| Weight w. brake | 599 g | 589 g |
| Order No. | 6220T1MR | 6120T1MR |



FDT TP 10
 Category Piste / All Mountain
 Brake width 80 mm, 80 mm (System)
 DIN range 3.0 - 10.0
 Rec. skier's weight 30 - 105 kg
 Stand height toe/heel 26 mm
 Toe system Triple Pivot compact 2
 Afd Gliding Plate Stainless steel
 Step-in heel Compact 3
 Color Black - White
 Weight 777 g
 Order No. 6562S1MC
 6562T1MCS (System)



GRIFFON 13 D
 Category Performance Freeride
 S 265 - 325
 L 305 - 365
 Brake width 90 mm 110 mm
 DIN range 4.0 - 13.0
 Rec. skier's weight <120 kg
 Stand height toe/heel 21/25 mm
 Toe system Triple Pivot elite 2
 Afd Gliding Plate Stainless steel
 Heel Inter Pivot 2
 Color Black
 Weight w. brake 1390 g
 Order No. 7520S1GA (90 mm)
 7520S1GB (110 mm)



FDT TLT 10
 Category Piste / All Mountain
 Brake width 80 mm
 DIN range 3.0 - 10.0
 Rec. skier's weight 30 - 105 kg
 Stand height toe/heel 26 mm
 Toe system 2-linkage
 Afd Gliding Plate Gliding AFD
 Step-in heel Compact 3
 Color Black - White
 Weight 793 g
 Order No. 6562R1MT



GRIFFON 13 TCX
 Category Freeride
 Brake width 90 mm, 110 mm
 DIN range 4.0 - 13.0
 Rec. skier's weight <120 kg
 Stand height toe/heel 21/25 mm
 Toe system Triple Pivot elite 2
 Afd Gliding Plate Stainless steel
 Heel TCX
 Color Black
 Weight w. brake 1211 g
 Order No. 6862S1GA (90 mm)
 6862S1GB (110 mm)



| | FDT 7.0 | FDT 4.5 |
|-----------------------|----------------------|----------------------|
| Category | Junior | Junior |
| Size | L 235 - 330 | S 190 - 285 |
| Brake width | 70 mm, 85 mm | 70 mm, 85 mm |
| DIN range | 2.0 - 7.0 | 0.75 - 4.5 |
| Rec. skier's weight | 24-75 kg | 12-57 kg |
| Stand height toe/heel | 23 mm / 24 mm | 23 mm / 24 mm |
| Toe system | 4-linkage jr2 | 4-linkage jr2 |
| Afd Gliding Plate | Active AFD | Active AFD |
| Heel | Junior | Junior |
| Color | black - anthracite | black - anthracite |
| Weight w. brake | 550 g | 546 g |
| Order No. | 6263T1MA 6263T1MC | 6163T1MA 6163T1MC |



SQUIRE 11 TCX
 Category Freeride
 Brake width 90, 110 mm
 DIN range 3.0 - 11.0
 Rec. skier's weight 30 - 110 kg
 Stand height toe/heel 21/25 mm
 Toe system Triple Pivot light
 Afd Gliding Plate Stainless steel
 Heel TCX light
 Color Black
 Weight w. brake 956 g
 Order No. 6762S1MA (90 mm)
 6762S1MB (110 mm)



Category Installation tool
16.0 - M 9.0
Compatible w/ Jester, Griffon, Schizo
Size 61 - 117 mm
95 - 150 mm
Order No. W001G1T (61 - 117 mm)
W012J1T (95 - 150 mm)



Category Installation tool
Compatible w/ Tour S & L
Size 61 - 117 mm
95 - 150 mm
Order No. W010G1T (61 - 117 mm)
W011J1T (95 - 150 mm)




Category Installation tool
Compatible w/ Duke, Baron, Tour EPF
S & L
Size 95 - 150 mm
Order No. W006M1T



Category Installation tool
Compatible w/ World Cup plate, Junior Race interface 2
Size 61 - 117 mm
Order No. W002O1T



Category Installation tool
Compatible w/ Fastrak, FDT Junior
Size 61 - 117 mm
Order No. W003H1T



Category Installation tool
Compatible w/ M 7.0, M 4.5 + Jr. RTL
Size -
Order No. W007H1T



Category Installation tool
Compatible w/ Jester Demo, Xcell Demo, FDT
Size 61 - 117 mm
95 - 150 mm
Order No. W009P1T (61 - 117 mm)
W004Q1T (95 - 150 mm)



Category Installation tool
Compatible w/ KINGPIN, KINGPIN Demo, Marker Alpinist
Size 70 - 126 mm
Order No. W008T1T



Category Installation tool
Compatible w/ ALU PRO plate
Size 61 - 117 mm
Order No. W005S1T

BRAKES



| | | | | | | |
|----------------------|---|--|---------|------------------|------------------------|---------------------|
| Terrain | Brake Royal Freeride | Brake Universal Freeride | Race | Race | Performance | Freeride |
| Compatible w/ | Duke, Jester, Tour | Duke, Jester brake | TCX | Race 10 & Race 8 | 11.0 FLAT 12.0 FLAT | Free Ten, 10.0 Free |
| Brake width | 136mm (C1) 120mm (C1) 110mm (C1 + C2) | 85 mm (C1) 90 mm (C1 + C2) 100 mm (C1) | 85 mm | 85 mm | 90 mm 110 mm | 100 mm |
| Color | Black (C1) White (C2) | Black (C1) White (C2) | Black | Black | Black | Black |
| Order No. | W015O1B (136) W026O1B (120) W016G1B (110)(C1) W012Q1B (110) (C2) | W018M1B (85) W017G1B (90) W019O1B (90) (C2) W027T1B (100) | W006O1B | W023H1B | W009F1B W005F1B | W004L1B |

BRAKES



| | | | | | | | |
|--------------------|--|---------------------------------|---------|-------------------------------|--|-------------------------------------|---|
| Compatible | Tour + Compact | Fastrak III, 4Motion Compact | RTL | Brake 2 - linkage, 3Motion | 7.0 & 4.5 & FDT | KINGPIN | MARKER ALPINIST |
| Brake width | 80 mm, 85 mm | 80 mm, 85 mm | 70 mm | 80 mm, 85 mm | 70 mm (C1 + C2) 85 mm (C1) | 75 - 100 mm (1) 100 - 125 mm (2) | 90 mm (1) 105 mm (2) 115 mm (3) |
| Color | Black (C1) White (C2) | Black | Black | Black | Black (C1) White (C2) | Black | Black |
| Order No. | W024K1B (85, C1) W022N1B (80, C1) W025O1B (80, C2) | W002L1B (80) W003M1B (85) | W014S1B | W020G1B (80) W021K1B (85) | W007R1B (70, C1) W008R1B (70, C2) W009R1B (85, C1) | W010S1B (1) W011S1B (2) | W001S1B (1) W002S1B (2) W003S1B (3) |

CRAMPONS



| | | | | | | | | |
|--------------------|-----------------|-----------------|-----------------|-----------------|---------|------------|-------------|--------------|
| Product | Crampon Pintech | Crampon Pintech | Crampon Pintech | Crampon Pintech | Crampon | Crampon | Crampon | Crampon |
| Brake width | 80 mm | 90 mm | 105 mm | 120 mm | 82 mm | 92 mm | 105 mm | 120 mm |
| Ski width | 66 - 80 mm | 75 - 90 mm | 90 - 105 mm | 105 - 120 mm | < 74 mm | 74 - 84 mm | 90 - 105 mm | 106 - 120 mm |
| Order No. | H005S1A | H001P1P | H002P1P | H003P1P | H003K1A | H001M1A | H002N1A | H004M1A |

KINGPIN / TOURING ACCESSORIES



| | | | |
|-------------------|-------------------------|-----------------|----------------------------------|
| Product | KINGPIN AFD Platform | DIN adapter | Touring leash MARKER ALPINIST |
| Compatible | | Dynafit TLT 5/6 | |
| Color | Black | Silver | Black |
| Order No. | W012P1B | A001Q1D | L002S1A |

MARKER ALPINIST ACCESSORIES



| | | |
|------------------|----------------------------------|---|
| Product | MARKER ALPINIST Heel platform | MARKER ALPINIST U - bow |
| Color | Black - White | |
| Order No. | A001S1W | A001S1US (Soft) A001S1UM (Medium) A001S1UH (Hard) |


MARKER ACCESSORIES



| | | | | | | |
|------------------|--------------------------------------|-------------------------------------|--|---|---------------------------------------|---------------------------------|
| Product | Marker gauge drill Ø 8 mm (45 mm) | Marker screw driver Pozidrive #3 | Marker power bit 150 mm FEIN (Pozidrive) | Marker power bit 150 mm SBD (Pozidrive) | Marker binding drill bit 4.1 x 9.5 | Marker allen key Ball end #5 |
| Order No. | 2541 | 2544 | 2547 | 2548 | 2552 | 2565 |



| | | | | | | |
|------------------|--|--|------------------------|---------------------|----------------------|-----------------------|
| Product | Marker binding drill bit 3.6 x 7.5 | Marker binding drill bit 3.6 x 9.5 | Marker trap-In insert | Marker binding glue | Marker screw driver | Marker silicone spray |
| Order No. | 2637 | 2639 | PA 6 (100 pcs) 2653 | 100 ml 2660 | Slotted #5.5 2661 | 300 ml 2662 |



| | |
|------------------|--|
| Product | Mounting Tool Adapter Wide Skis 148 mm |
| Order No. | W001J1A |





ROYAL FAMILY RIDE & HIKE



| | | | | | | | |
|------------------|--|--|---------------------------------|---|---|---|---|
| | Duke Pro EPF 18 | Baron EPF 13 | Jester 18 Pro ID | Jester 16 ID | Griffon 13 ID | Griffon 13 ID | Squire 11 ID |
| Size | S 265 - 325; 110 mm L 305 - 365; 110 mm | S 265 - 325; 110 mm L 305 - 365; 110 mm | 90 mm, 120 mm | 90 mm, 100 mm, 110 mm | 90 mm, 100 mm, 110 mm, 120 mm | 90 mm, 100 mm, 110 mm | 90 mm, 100 mm, 110 mm |
| DIN range | 8.0 - 18.0 | 4.0 - 13.0 | 8.0 - 18.0 | 6.0 - 16.0 | 4.0 - 13.0 | 4.0 - 13.0 | 3.0 - 11.0 |
| Color | Black | Black | Black - Flo-red | Black | Black | White | White |
| Order No. | 7916S1SA (S) 7916S1LA (L) | 7516S1SA (S) 7516S1LA (L) | 7924S1JS (90) 7924S1JB (120) | 7624S1JA (90) 7624T1JD (100) 7624S1JB (110) | 7524S1GA (90) 7524T1GG (100) 7524S1GB (110) 7524S1GC (120) | 7524S1GD (90) 7524T1GH (100) 7524S1GE (110) 7524S1GF (120) | 7424S1MA (90) 7424T1MG (100) 7424S1MB (110) |

FREE



| | | | | | |
|------------------|--|---------------------------------|---|----------------|---------------|
| | Squire 11 ID | Squire 11 ID | Free Ten | Free 7 | Free 7 |
| Size | 90 mm, 100mm, 110 mm | 90 mm, 110 mm | 85 mm (+ screw kit) 100 mm (+ screw kit) | 85 mm | 85 mm |
| DIN range | 3.0 - 11.0 | 3.0 - 11.0 | 3.0 - 10.0 | 2.0 - 7.0 | 2.0 - 7.0 |
| Color | Black | Teal - Black | Black - White | White - Silver | Black |
| Order No. | 7424S1ME (90), 7424T1MH (100) 7424S1MF (110) | 7424T1MC (90) 7424T1MD (110) | 7224T1MA (85) 7224T1MB (100) | 6224T1MW | 6224T1MS |

TOUR



| | | |
|------------------|--|--|
| | F12 TOUR EPF | F10 TOUR |
| Size | S 265 - 325; 110 mm L 305 - 365; 110 mm | S 265 - 325; 90 mm L 305 - 365; 90 mm |
| DIN range | 4.0 - 12.0 | 3.0 - 10.0 |
| Color | Black - Anthracite | Black - White |
| Order No. | 7816R1SE (S) 7816R1LE (L) | 7716S1TC (S) 7716S1TD (L) |

PIN TOUR



| | | | | | | | |
|------------------|-------------------------------------|-------------------------------------|-------------------------------------|------------------------|------------------------|---|---|
| | KINGPIN M-Werks 12 | KINGPIN 10 | KINGPIN 13 | KINGPIN 10 Demo | KINGPIN 13 Demo | MARKER ALPINIST 12 | MARKER ALPINIST 9 |
| Size | 75 - 100 mm (1) 100 - 125 mm (2) | 75 - 100 mm (1) 100 - 125 mm (2) | 75 - 100 mm (1) 100 - 125 mm (2) | 75 - 100 mm | 100 - 125 mm | 6.0 - 12.0 | 4.0 - 9.0 |
| DIN range | 5.0 - 12.0 | 5.0 - 10.0 | 6.0 - 13.0 | 5.0 - 10.0 | 6.0 - 13.0 | Black - Red (C1) Black - Titanium (C2) | Black - Turquoise (C1) Black - Titanium (C2) |
| Color | Black - Red | Black - Copper | Black - Copper | Black - Copper | Black - Copper | 7833S1MA (C1) 7833S1MB (C2) | 7633S1MC (C1) 7633S1MB (C2) |
| Order No. | 7831T1CS 7831T1CW | 7733S1MA (1) 7733S1MB (2) | 7933S1MA (1) 7933S1MB (2) | 7734S1MA | 7934S1MB | | |

XCELL FLAT (GRIPWALK)



| | | | | | | | |
|------------------|---------------------------------------|--------------------------------------|--------------------|--------------------|--------------------|-------------------------------------|-------------------------------------|
| | MARKER ALPINIST 12 long travel | MARKER ALPINIST 9 long travel | Xcell 16 GW | Xcell 12 GW | 12.0 TPX | 11.0 TP | 11.0 TP |
| Size | 90 mm 105 mm | 90 mm 105 mm | 90 mm | 90 mm | 90 mm | 90 mm, 110 mm | 90 mm, 110 mm |
| DIN range | 6.0 - 12.0 | 4.0 - 9.0 | 6.0 - 16.0 | 4.0 - 12.0 | 4.0 - 12.0 | 3.0 - 11.0 | 3.0 - 11.0 |
| Color | Black - Titanium | Black - Titanium | Black | Black | Black - Anthracite | Black - Anthracite | White |
| Order No. | 7834S1MS (90) 7834S1MW (105) | 7634S1MS (90) 7634S1MW (105) | 6920T1MB | 6820T1MB | 6820T1MA | 6720T1MA (90mm) 6720T1MC (110mm) | 6720S1MB (90mm) 6720S1MD (110mm) |



| | | | |
|------------------|----------------|---------------------------------------|--|
| | 10.0 TP | 7.0 | 4.5 |
| Size | 85 mm | 70 mm | 70 mm, 85 mm |
| DIN range | 3.0 - 10.0 | 2.0 - 7.0 | 0.75 - 4.5 |
| Color | Black | Black - Anthracite (C1) White (C2) | Black - Anthracite (C1) White (C2) |
| Order No. | 6520S1MA | 6220T1MA (C1) 6220T1MB (C2) | 6120T1MA (C1) 6120T1MB (C2) 6120T1MC (85 mm)(C1) |

RACE



| | | | | | | | |
|------------------|--|--|--|--|--|--|--|
| | Race X-cell 24 | Race X-cell 18 | Race X-cell 16 | Race X-cell 12 | Race 10 TCX | Race 10 | Race Junior 8 |
| DIN range | 12.0 - 24.0 | 8.0 - 18.0 | 6.0 - 16.0 | 4.0 - 12.0 | 3.0 - 10.0 | 3.0 - 10.0 | 2.0 - 8.0 |
| Color | Black - Flo-red (C1) White - Black - Red (C2) | Black - Flo-red (C1) White - Black - Red (C2) | Black - Flo-red (C1) White - Black - Red (C2) | Black - Flo-red (C1) White - Black - Red (C2) | Black - Flo-red (C1) White - Black - Red (C2) | Black - Flo-red (C1) White - Black - Red (C2) | Black - Flo-red (C1) White - Black - Red (C2) |
| Order No. | 7130R1MS (C1) 7130S1TC (C2) | 7120R1MS (C1) 7120S1TC (C2) | 6920R1MS (C1) 6920S1TC (C2) | 6820R1MS (C1) 6820S1TC (C2) | 6520R1MT (C1) 6521S1TC (C2) | 6520R1MS (C1) 6520S1TC (C2) | 6320R1MS (C1) 6320S1TC (C2) |

RENTAL / DEMO



| | | | | | | | |
|--------------------|-----------------------------|-----------------------------|-------------------|--------------------------------------|--------------------------------------|--------------------|--------------------|
| | FDT TPX 12 | FDT TP 10 | FDT TLT 10 | FDT 7.0 System | FDT 4.5 System | 7.0 RTL | 4.5 RTL |
| Size | 90 mm | 80 mm | 80 mm | L 235 - 330 | S 190 - 285 | 70 mm | 70 mm |
| Brake width | 90 mm (SYSTEM) | 80 mm (SYSTEM) | 80 mm | 70 mm 85 mm | 70 mm 85 mm | 70 mm | 70 mm |
| DIN range | 4.0 - 12.0 | 3.0 - 10.0 | 3.0 - 10.0 | 2.0 - 7.0 | 0.75 - 4.5 | 2.0 - 7.0 | 0.75 - 4.5 |
| Color | Black - White | Black - White | Black - White | Black - Anthracite | Black - Anthracite | Black - Anthracite | Black - Anthracite |
| Order No. | 6862S1MC 6862S1MCS (Sys) | 6562S1MC 6562T1MCS (Sys) | 6562R1MT | 6263T1MA (70 mm) 6263T1MC (85 mm) | 6163T1MA (70 mm) 6163T1MC (80 mm) | 6220T1MR | 6120T1MR |



| | | | | | | |
|--------------------|----------------------|---------------------------------|---------------------------------|-----------------------------------|------------------------|---|
| | Griffon 13 D | Griffon 13 TCX D | Squire 11 TCX D | 10.0 Fastrak III TP System | FDT plate; bulk | FDT High Performance plate; bulk |
| Brake width | 90 mm 110 mm | 90 mm 110 mm | 90 mm 110 mm | 80 mm | | |
| DIN range | 4.0 - 13.0 | 4.0 - 13.0 | 3.0 - 11.0 | 3.0 - 10.0 | | |
| Color | Black | Black | Black | Black - White | Black | Black |
| Order No. | 7520S1GA 7520S1GB | 7633S1MA (90) 6862S1GB (110) | 6762S1MA (90) 6762S1MB (110) | 6523P1SS | 2064T1MA (5 pair) | 2064Q1MP (5 pair) |

INTERFACE



| | | | | |
|---------------------|--------------------------------------|------------------------------|-------------------------------------|----------------------|
| | World Cup PC Interface | Junior Race Interface | 3D U.V.O. vibration absorber | ALU PRO plate |
| Stand height | 10 mm, 14 mm | | | 10 mm |
| Color | Black | Black | | Silver |
| Order No. | 2020R1SS (10 mm) 2022R1SS (14 mm) | 2027O1MB | V001S1SS | 2030S1MP |



2019/20

BRAKES



| | | | | | | |
|------------------|--------------------------------|---|---|-----------------------|------------------------------|--|
| | Brake Royal | Brake Royal, Tour | Brake Universal, Royal, Tour | Brake Race TCX | Brake Race 8, Race 10 | Brake 11.0 flat BRAKE 12.0 flat |
| Size | 120 mm 136 mm | 100 mm 110 mm | 85 mm (C1) 90 mm (C1 + C2) | 85 mm | 85 mm | 90 mm 110 mm |
| Color | Black | Black (C1) White (C2) | Black (C1) White (C2) | Black | Black | Black |
| Order No. | W026O1B (120) W015O1B (136) | W027T1B (100) W016G1B (C1) W012Q1B (C2) | W018M1B (85 mm) W017G1B (C1)(90mm) W019O1B (C2)(90mm) | W006O1B | W023H1B | W009F1B (90) W005F1B (110) |



| | | | | | | |
|--------------------|-----------------------------------|----------------------------------|---|---|-------------------------|---|
| | Brake 2 - linkage; 3Motion | Brake Free Ten, 10.0 Free | Brake Compact | Brake Fastrak III, 4Motion Compact | Brake Junior RTL | Brake 7.0 & 4.5 & FDT Junior |
| Brake width | 80 mm, 85 mm | 100 mm | 80 mm 85 mm | 80 mm 85 mm | 70 mm | 70 mm (C1 + C2) 85 mm (C1) |
| Color | Black | Black | Black (C1) White (C2) | Black | Black | Black (C1) White (C2) |
| Order No. | W020G1B (80) W021K1B (85) | W004L1B | W022N1B (C1) (80) W025O1B (C2) (80) W024K1B (C1) (85) | W002L1B (80) W003M1B (85) | W014S1B | W007R1B (70 mm, C1) W008R1B (70 mm, C2) W009R1B (85 mm, C1) |



| | | | | | | |
|------------------|-------------------------------------|--|--|--|-----------------------------|--------------------------------------|
| | KINGPIN brake | MARKER ALPINIST brake | Crampon | Crampon Pintech | KINGPIN AFD platform | MARKER ALPINIST heel platform |
| Size | 75 - 100 mm (1) 100 - 125 mm (2) | 90 mm 105 mm 115 mm | 74 mm, 84 mm 106 mm, 120 mm | 80 mm, 90 mm 105 mm, 120 mm | | |
| Color | Black | Black | | | Black | Black - White |
| Order No. | W010S1B (1) W011S1B (2) | W001S1B (90) W002S1B (105) W003S1B (115) | H003K1A (74) H001M1A (84) H002N1A (106) H004M1A (120) | H005S1A (80) H001P1P (90) H002P1P (105) H003P1P (120) | W012P1B | A001S1W |



| | | | |
|------------------|------------------------------|---|--------------------------------------|
| | DIN - Adapter AT boot | MARKER ALPINIST U-BOW | Touring leash MARKER ALPINIST |
| Order No. | A001Q1D | A001S1US (Soft) A001S1UM (Medium) A001S1UH (Hard) | L002S1A |

HELMETS



THE NEW CONVOY+

**OUTSTANDING PROTECTION OUTSIDE.
SUPERIOR FITTING INSIDE.
INNOVATIVE TECHNOLOGY ALL AROUND.**



PHOENIX MAP CARBON

Construction Hybrid Shell + MAP
Ventilation MarkAIR Channel System
 2 Position Climate Control
Protection 360° Edge Protection
 360° MAP Protection Pads
Features Carbon Top shell
 RTS Fit System
 Xdry Performance Lining
 Fidlock OG Snap
 Removable Earpads - Audio Ready
 Goggle Clip
 Helmet Bag
Sizing S 51-55 cm / M 55-59 cm / L 59-63 cm
Weight (+/-5%) S 470 g / M 510 g / L 540 g
Certification CE EN 1077:2007 CLASS B
Order No. 169400.16



AMPIRE MAP

Construction Hybrid Shell + MAP
Ventilation MarkAIR Channel System
 2 Position Climate Control
Protection 360° Edge Protection
 270° MAP Protection Pads
Features RTS Fit System
 Xdry Performance Lining (W: Volume Fleece)
 Fidlock OG Snap
 Removable Earpads - Audio Ready
 Goggle Clip
 Helmet Bag
Sizing S 51-55 cm / M 55-59 cm / L 59-63 cm
Weight (+/-5%) S 445 g / M 485 g / L 510 g
Certification CE EN 1077:2007 CLASS B



UPDATE

PHOENIX MAP


Construction Hybrid Shell + MAP
Ventilation MarkAIR Channel System
 2 Position Climate Control
Protection 360° Edge Protection
 270° MAP Protection Pads
Features RTS Fit System
 Xdry Performance Lining (W: Volume Fleece)
 Fidlock OG Snap
 Removable Earpads - Audio Ready
 Goggle Clip
 Helmet Bag
Sizing S 51-55 cm / M 55-59 cm / L 59-63 cm
Weight (+/-5%) S 470 g / M 510 g / L 540 g
Certification CE EN 1077:2007 CLASS B

UPDATE



AMPIRE

Construction Hybrid Shell
Ventilation MarkAIR Channel System
 2 Position Climate Control
Protection 360° Edge Protection
Features RTS Fit System
 Xdry Performance Lining (W: Volume Fleece)
 Fidlock OG Snap
 Removable Earpads - Audio Ready
 Goggle Clip
 Helmet Bag
Sizing S 51-55 cm / M 55-59 cm / L 59-63 cm
Weight (+/-5%) S 445 g / M 485 g / L 510 g
Certification CE EN 1077:2007 CLASS B





NEW

**CONVOY +**

| | |
|-----------------------|--|
| Construction | Double In-Mould |
| Ventilation | MarkAIR Channel System 2 Position Climate Control |
| Protection | 270° Edge Protection |
| Features | RTS Fit System Xdry Performance Lining (F=Volume Fleece) Fidlock OG Snap Removable Earpads - Audio Ready Goggle Clip Helmet Bag |
| Sizing | S 51-55 cm / M 55-59 cm / L 59-63 cm |
| Weight (+/-5%) | M: 444 g |
| Certification | CE EN 1077:2007 CLASS B |

White
169912.00Black
169912.15Blue/blue
169906.80Grey / infrared
169906.13Orange / light grey
169906.33Purple / fuchsia
169907.70**COMPANION**

| | |
|-----------------------|--|
| Construction | Double In-Mould |
| Ventilation | MarkAIR Channel System 2 Position Climate Control |
| Protection | 270° Edge Protection |
| Features | RTS Fit System Xdry Performance Lining (W: Volume Fleece) Removable Earpads - Audio Ready Goggle Clip Helmet Bag |
| Sizing | S 51-55 cm / M 55-59 cm / L 59-63 cm |
| Weight (+/-5%) | S 420 g / M 440 g / L 470 g |
| Certification | CE EN 1077:2007 CLASS B |

Black
168408.15Grey
168408.10White
168409.00Black
168409.15

NEW

**CONVOY**

| | |
|-----------------------|--|
| Construction | Double In-Mould |
| Ventilation | MarkAIR Channel System |
| Protection | 270° Edge Protection |
| Features | RTS Fit System Xdry Performance Lining (W: Volume Fleece) Removable Earpads - Audio Ready Goggle Clip Helmet Bag |
| Sizing | S 51-55 cm / M 55-59 cm / L 59-63 cm |
| Weight (+/-5%) | M 427 g |
| Certification | CE EN 1077:2007 CLASS B |

Black
169924.15Anthrazite
169911.18Blue
169911.80White
169913.00Fuchsia
169913.72

UPDATE

**CLARK**

| | |
|-----------------------|--|
| Construction | Triple In-Mould |
| Ventilation | MarkAIR Channel System AIR JAM CLIMATE CONTROL |
| Protection | 360° Edge Protection |
| Features | RTS Fit System Xdry Performance Lining Fidlock OG Snap Removable Earpads - Audio Ready Beanie Ready PSE Goggle Clip Helmet Bag |
| Sizing | S 51-55 cm / M 55-59 cm / L 59-63 cm |
| Weight (+/-5%) | S 365 g / Beanie ready: 299 g M 395 g / Beanie ready: 327 g L 425 g / Beanie ready: 351 g |
| Certification | CE EN 1077:2007 CLASS B |

Black black
168410.17Blue
168410.51



NEW



Construction ABS Hardshell
Ventilation MarkAIR Channel System
 AIR JAM CLIMATE CONTROL
Features RTS Fit System
 Xdry Performance Lining
 Fidlock OG Snap
 Removable Earpads - Audio Ready (excl. FE)
 Beanie Ready
 PSE Goggle Clip
FE Edition FIXED EARPADS for more side protection and higher durability
Sizing S 51-55 cm / M 55-59 cm / L 59-63 cm
Weight (+/-5%) M: 500 g M (FE): 508 g
Certification CE EN 1077:2007 CLASS B



Junior



NEW

Construction ABS Hardshell
Ventilation MarkAIR Channel System
 AIR JAM CLIMATE CONTROL
Features RTS Fit System
 Xdry Performance Lining
 FIXED EARPADS for more side protection and higher durability
 Beanie Ready
 PSE Goggle Clip
Sizing OO 47-51 cm / O 51-56 cm
Weight (+/-5%) 508 g
Certification CE EN 1077:2007 CLASS B




Junior



NEW

Construction In-Mould
Ventilation MarkAIR Channel System
 AIR JAM CLIMATE CONTROL
Protection 180° Edge Protection
Features RTS Fit System
 Xdry Performance Lining
 Removable Earpads - Audio Ready
 Beanie Ready
 Goggle Clip
Sizing OO 47-51 cm / O 51-56 cm
Weight (+/-5%) 430 g
Certification CE EN 1077:2007 CLASS B




Junior



UPDATE

Construction ABS Hardshell
Ventilation MarkAIR Channel System
 AIR JAM CLIMATE CONTROL
Features RTS Fit System
 Xdry Performance Lining
 Removable Earpads - Audio Ready
 Beanie Ready
 Goggle Clip
 Integrated lens system
Sizing OO 47-51 cm / O 51-56 cm
Weight (+/-5%) 545 g
Certification CE EN 1077:2007 CLASS B





HELMET FEATURES OVERVIEW



RENTAL FE / RENTAL

Construction ABS Hardshell
Ventilation MarkAIR Channel System
 AIR JAM CLIMATE CONTROL
Features Integrated Rental Surface
 Barcode Area
 RTS Fit System
 Xdry Performance Lining
 PSE Goggle Clip
 FE = Fixed Earpads
Sizing S 51-55 cm / M 55-59 mm / L 59-63 cm / XL 62-65
Weight (+/-5%) TBA
Certification CE EN 1077:2007 CLASS B



Junior



RENTAL JR.

Construction ABS Hardshell
Ventilation MarkAIR Channel System
 AIR JAM CLIMATE CONTROL
Features Integrated Rental Surface
 Barcode Area
 RTS Fit System
 Xdry Performance Lining
 PSE Goggle Clip
Sizing OO 47-51 cm / O 51-56 cm
Weight (+/-5%) TBA
Certification CE EN 1077:2007 CLASS B



| | Phoenix MAP | Ampire | Convoy+ | Convoy | Companion | Clark | Squad/Squad FE | Convoy Jr. | Squad Jr. | Vijo | Rental FE | Rental | Rental Jr. |
|---------------------------------|--------------|--------------|-----------|-----------|-----------|-----------|----------------|------------|-----------|-----------|----------------|----------------|------------|
| Sizing | S / M / L | S / M / L | S / M / L | S / M / L | S / M / L | S / M / L | S / M / L | 51-56 cm | OO / O | OO / O | S / M / L / XL | S / M / L / XL | OO / O |
| Construction | Hybrid Shell | Hybrid Shell | In-Mould | In-Mould | In-Mould | In-Mould | Hardshell | In-Mould | Hardshell | Hardshell | Hardshell | Hardshell | Hardshell |
| With MAP | | | | | | | | | | | | | |
| Ventilation | | | | | | | | | | | | | |
| MarkAIR Channel System | • | • | • | • | • | • | • | • | • | • | • | • | • |
| 2 Position Climate Control | • | • | • | • | • | • | • | • | • | • | • | • | • |
| AIR JAM CLIMATE CONTROL | • | • | • | • | • | • | • | • | • | • | • | • | • |
| Goggle Integration System | • | • | • | • | • | • | • | • | • | • | • | • | • |
| Protection | | | | | | | | | | | | | |
| 360° MAP Protection Pads | • | • | • | • | • | • | • | • | • | • | • | • | • |
| 270° MAP Protection Pads | • | • | • | • | • | • | • | • | • | • | • | • | • |
| 360° Edge Protection | • | • | • | • | • | • | • | • | • | • | • | • | • |
| 270° Edge Protection | • | • | • | • | • | • | • | • | • | • | • | • | • |
| 180° Edge Protection | • | • | • | • | • | • | • | • | • | • | • | • | • |
| Features | | | | | | | | | | | | | |
| RTS Fit System | • | • | • | • | • | • | • | • | • | • | • | • | • |
| RTS Youth Fit System | • | • | • | • | • | • | • | • | • | • | • | • | • |
| Fidlock OG Snap | • | • | • | • | • | • | • | • | • | • | • | • | • |
| PSE Goggle Clip | • | • | • | • | • | • | • | • | • | • | • | • | • |
| Edge Protection | • | • | • | • | • | • | • | • | • | • | • | • | • |
| Beanie Ready | • | • | • | • | • | • | • | • | • | • | • | • | • |
| Removable Earpads - Audio Ready | • | • | • | • | • | • | • | • | • | • | • | • | • |
| Integrated Rental Surface | • | • | • | • | • | • | • | • | • | • | • | • | • |
| Barcode Area | • | • | • | • | • | • | • | • | • | • | • | • | • |
| FE = Fixed Earpads | • | • | • | • | • | • | • | • | • | • | • | • | • |



2019/20

G O G G L E S



**+PLUS
SERIES**

NEW

SQUADRON +

Fit Large Fit
Ventilation MarkAIR Vent System
Lens NMT OPTICS (3rd Eyelid)
 Cylindrical lens
 Magnetic lens incl. magnetic spare part lens
 100% UV A/B/C Technology
 Also available with polarized lenses

Features Xdry TRIPLE LAYER FACE FOAM
 Superfit frame design
 45mm goggle strap with silicon anti-slip coating
 100% compatibility with helmet
 Neoprene box plus microfiber bag
 Additional lens


Certification CE EN 174:2001, optical Class 1



Black matt
Blue HD mirror
169350.15.12.3



Black matt
Green plasma mirror
169350.15.04.3



NEW

SQUADRON

Fit Large Fit
Ventilation MarkAIR Vent System
Lens NMT OPTICS (3rd Eyelid)
 Cylindrical lens
 100% UV A/B/C Technology
 Also available with polarized lenses

Features Xdry TRIPLE LAYER FACE FOAM
 Superfit frame design
 45mm goggle strap with silicon anti-slip coating
 100% compatibility with helmet
 Microfiber goggle bag

Certification CE EN 174:2001, optical Class 1



Black matt
Blue HD mirror
169351.15.12.3



Black matt
Red plasma mirror
169351.15.02.3



NEW

SPECTATOR

Fit Large Fit
Ventilation MarkAIR Vent System
Lens NMT OPTICS (3rd Eyelid)
 Cylindrical lens
 100% UV A/B/C Technology

Features Xdry TRIPLE LAYER FACE FOAM
 Superfit frame design
 45mm goggle strap with silicon anti-slip coating
 100% compatibility with helmet
 Microfiber goggle bag

Certification CE EN 174:2001, optical Class 1



Black / Infrared
Black light HD
169352.17.11.3



Black matt
Pink plasma mirror
169352.15.05.3

**READY TO GO
FOR EVERY LIGHT
CONDITIONS**

**+PLUS
SERIES**

SECOND LENS

Including one Clarity mirror lens for low-light conditions.



NEOPRENE BOX

All PLUS goggles come in a lightweight neoprene box with a zipper to make transport and storage easier. The soft lining protects the goggles, while the vent holes allow for quick moisture evaporation.



+PLUS SERIES

UPDATE

16:10+

Fit Large Fit
Ventilation MarkAIR Vent System
Lens NMT OPTICS (3rd Eyelid)
 DUAL BIONOMIC spherical lens
 100% UV A/B/C Technology
 Also available with polarized lenses
Features Xdry TRIPLE LAYER FACE FOAM
 Superfit frame design
 45mm goggle strap with silicon anti-slip coating
 100% compatibility with helmet
 Neoprene box plus microfiber bag
 Additional lens
Certification CE EN 174:2001, optical Class 1



+PLUS SERIES

UPDATE

PERSPECTIVE+

Fit Large Fit
Ventilation MarkAIR Vent System
Lens NMT OPTICS (3rd Eyelid)
 DUAL BIONOMIC spherical lens
 100% UV A/B/C Technology
 Also available with polarized lenses
Features Xdry TRIPLE LAYER FACE FOAM
 Superfit frame design
 45mm goggle strap with silicon anti-slip coating
 100% compatibility with helmet
 Neoprene box plus microfiber bag
 Additional lens
Certification CE EN 174:2001, optical Class 1



+PLUS SERIES

UPDATE

16:10+ OTG

Fit Large Fit
Ventilation MarkAIR Vent System
Lens NMT OPTICS (3rd Eyelid)
 DUAL BIONOMIC spherical lens
 100% UV A/B/C Technology
Features Xdry TRIPLE LAYER FACE FOAM
 Superfit frame design
 45mm goggle strap with silicon anti-slip coating
 100% compatibility with helmet
 Neoprene box plus microfiber bag
 Additional lens
Certification CE EN 174:2001, optical Class 1



UPDATE

PERSPECTIVE

Fit Large Fit
Ventilation MarkAIR Vent System
Lens NMT OPTICS (3rd Eyelid)
 DUAL BIONOMIC spherical lens
 100% UV A/B/C Technology
 Also available with polarized lenses
Features Xdry TRIPLE LAYER FACE FOAM
 Superfit frame design
 45mm goggle strap with silicon anti-slip coating
 100% compatibility with helmet
 Microfiber goggle bag
Certification CE EN 174:2001, optical Class 1



**+PLUS
SERIES**



UPDATE

PROJECTOR+

Fit Medium Fit
Ventilation MarkAIR Vent System
Lens NMT OPTICS (3rd Eyelid)
 DUAL BIONOMIC spherical lens
 100% UV A/B/C Technology
 Also available with polarized lenses
Features Xdry TRIPLE LAYER FACE FOAM
 Superfit frame design
 45mm goggle strap with silicon anti-slip coating
 100% compatibility with helmet
 Neoprene box plus microfiber bag
 Additional lens
Certification CE EN 174:2001, optical Class 1



White Blue HD mirror 169356.00.12.2 Black Black light HD 169356.15.11.2 White Pink plasma mirror 169356.00.05.2 Black Green plasma mirror 169356.15.04.2 Infrared Red plasma mirror 169356.50.02.2 Fuchsia Pink plasma mirror 169356.72.05.2

Junior



Fit Small Fit
Ventilation MarkAIR Vent System
Lens HYDROPHOBIC COATING
 DUAL BIONOMIC spherical lens
 100% UV A/B/C Technology
Features Xdry TRIPLE LAYER FACE FOAM
 Superfit frame design
 45mm goggle strap with silicon anti-slip coating
 100% compatibility with helmet
 Microfiber goggle bag
Certification CE EN 174:2001, optical Class 1



White Green screen mirror 169360.00.24.1 Black Clarity Mirror 169360.15.03.1 Black Surround Mirror 169360.15.01.1 Infrared Red screen mirror 169360.50.22.1 Blue Surround Mirror 169360.80.01.1



UPDATE

PROJECTOR

Fit Medium Fit
Ventilation MarkAIR Vent System
Lens NMT OPTICS (3rd Eyelid)
 DUAL BIONOMIC spherical lens
 100% UV A/B/C Technology
Features Xdry TRIPLE LAYER FACE FOAM
 Superfit frame design
 45mm goggle strap with silicon anti-slip coating
 100% compatibility with helmet
 Microfiber goggle bag
Certification CE EN 174:2001, optical Class 1



White Clarity mirror 169358.00.03.2 White Surround mirror 169358.00.01.2 Black Clarity mirror 169358.15.03.2 Black Surround mirror 169358.15.01.2

GOGGLE LENS



Black Light HD VLT*: 20% Cat.: S2 Polarized
Blue HD Mirror VLT*: 11% Cat.: S3 Polarized
Surround Mirror VLT*: 11% Cat.: S3 Polarized



Pink Plasma Mirror VLT*: 11% Cat.: S3
Red Plasma Mirror VLT*: 25% Cat.: S2
Green Plasma Mirror VLT*: 25% Cat.: S2
Clarity Mirror VLT*: 68% Cat.: S1



Green Screen Mirror VLT*: 15% Cat.: S3
Red Screen Mirror VLT*: 25% Cat.: S2



*VLT specifies the translucency of a lens, defining how much light will hit the eye.



UPDATE

16:9

Fit Medium Fit
Ventilation MarkAIR Vent System
Lens NMT OPTICS (3rd Eyelid)
 DUAL BIONOMIC spherical lens
 100% UV A/B/C Technology
 Also available with polarized lenses
Features Xdry TRIPLE LAYER FACE FOAM
 Superfit frame design
 45mm goggle strap with silicon anti-slip coating
 100% compatibility with helmet
 Microfiber goggle bag
Certification CE EN 174:2001, optical Class 1



White Pink plasma mirror 169359.00.05.2 Black Clarity mirror 169359.15.03.2 Infrared Surround mirror 169359.50.01.2 Fuchsia Red plasma mirror 169359.72.02.2



2019/20

PROTECTIVE WEAR



MAP INCREASED PROTECTION INSIDE

MAP TEMPERATURE STABLE

MAP MULTI-IMPACT ABSORPTION

MAP SUPER LIGHT WEIGHT

powered by A-XOC



NEW

Protection

Features

Material

Sizing

Weight (+/-5%)

Certification

Color

Order No.

BODY VEST MAP 2.0

MAP 2.0 Protection Material powered by A-XOC Shock Absorber along the rib cage

MarkAIR Channel Design
Central Spine Protection

High-quality functional material
4D Stretch/Compression Material
Extremely breathable

S, M, L

Men 602 g, Women 503 g, Youth 480 g (Size L)

EN 1621-2:2014 Level 2

Black

Men

S: 169200.15.S
M: 169200.15.M
L: 169200.15.L
XL: 169200.15.XL

Women

S: 169210.49.S
M: 169210.49.M
L: 169210.49.L
XL: 169210.49.XL

Youth

S: 169220.49.S
L: 169220.49.L



NEW

Protection

Features

Material

Sizing

Weight (+/-5%)

Certification

Color

Order No.

BP LIGHT MAP 2.0

MAP 2.0 Protection Material powered by A-XOC

Central Spin Protection
MarkAIR Channel Design
Quick-configure Belt
FIS-ready:
Wide, adjustable harness straps for a secure fit
Large kidney belt with practical velcro closure
Advance width adjustment for individual size adjustment

High-quality functional material
Extremely breathable

S, M, L, XL

Men 635 G, Women 550 g (Size L)

EN 1621-2:2014 Level 2

Black/Red

Men (Black)

S: 169201.15.S
M: 169201.15.M
L: 169201.15.L
XL: 169201.15.XL

Women (Red)

S: 169211.49.S
M: 169211.49.M
L: 169211.49.L
XL: 169211.49.XL



Protection

Features

Material

Sizing

Weight (+/-5%)

Certification

Color

Order No.

BODY SHORT MAP

MAP Protection materials

Unisex cut
Ultra-thin and flexible 11 mm MAP material on the hips and tailbone

High-quality functional material
4D Stretch/Compression Material
Extremely breathable

S, M, L, XL

330 g (Size L)

EN 1621-2:2004 Level 1

Black

S: 168230.15.S
M: 168230.15.M
L: 168230.15.L
XL: 168230.15.XL





PHOENIX MAP
Hybrid Shell



| | | | | | |
|---------------------------|--------------------|-------------------------|------------------------|--------------------|-------------------------|
| Carbon black 169400.16 | Black 169400.15 | White/grey 169400.01 | Aqua Blue 169400.83 | Green 169400.90 | Gey/Purple 169901.12 |
|---------------------------|--------------------|-------------------------|------------------------|--------------------|-------------------------|

AMPIRE
Hybrid Shell



| | | | | | | |
|--------------------|--------------------|--------------------|-------------------|----------------------------|-------------------|---------------------|
| Black 169402.15 | White 169403.02 | Black 169604.15 | Blue 169904.80 | Grey/Infrared 169904.13 | Grey 169905.10 | Purple 169905.70 |
|--------------------|--------------------|--------------------|-------------------|----------------------------|-------------------|---------------------|

CONVOY +
Double In-Mould



| | | | | | |
|--------------------|--------------------|------------------------|----------------------------|--------------------------------|-----------------------------|
| White 169912.00 | Black 169912.15 | Blue/Blue 169906.80 | Grey/Infrared 169906.13 | Orange/light grey 169906.33 | Purple/Fuchsia 169907.70 |
|--------------------|--------------------|------------------------|----------------------------|--------------------------------|-----------------------------|

CONVOY
Double In-Mould



| | | | | |
|--------------------|-------------------------|-------------------|--------------------|----------------------|
| Black 169924.15 | Anthrazite 169911.18 | Blue 169911.80 | White 169913.00 | Fuchsia 169913.72 |
|--------------------|-------------------------|-------------------|--------------------|----------------------|

COMPANION
Double In-Mould



| | | | |
|--------------------|-------------------|--------------------|--------------------|
| Black 168408.15 | Grey 168408.10 | White 168409.00 | Black 168409.15 |
|--------------------|-------------------|--------------------|--------------------|

CLARK
Triple In-Mould



| | |
|--------------------------|-----------------------|
| Black black 168410.17 | Infrared 168410.51 |
|--------------------------|-----------------------|

SQUAD
ABS Hardshell



| | | | | | |
|--------------------|--------------------|--------------------|-------------------|-----------------------|----------------------|
| Black 169914.15 | White 169915.00 | Black 169915.15 | Blue 169915.80 | Infrared 169915.51 | Fuchsia 169923.61 |
|--------------------|--------------------|--------------------|-------------------|-----------------------|----------------------|

CONVOY JR.
In-Mould



| | | |
|--------------------|-------------------|-------------------|
| Black 169919.15 | Blue 169919.80 | Pink 169919.72 |
|--------------------|-------------------|-------------------|

SQUAD JR.
ABS Hardshell



| | | |
|--------------------|-----------------------|----------------------|
| Black 169920.15 | Infrared 169920.51 | Fuchsia 169920.70 |
|--------------------|-----------------------|----------------------|

VIJO
ABS Hardshell



| | | |
|-------------------|-----------------------|-------------------|
| Blue 169922.80 | Infrared 169922.51 | Pink 169922.72 |
|-------------------|-----------------------|-------------------|

RENTAL
ABS Hardshell



| | | | |
|--------------------|--------------------|--------------------|--------------------|
| White 169416.00 | Black 169416.15 | White 169417.00 | Black 169417.15 |
|--------------------|--------------------|--------------------|--------------------|

RENTAL JR.
ABS Hardshell



| | |
|--------------------|--------------------------|
| Black 169418.15 | Neon yellow 169418.26 |
|--------------------|--------------------------|

SQUADRON+
SQUADRON
Large Fit



| | | | |
|--|--|--|---|
| Black matt Blue HD mirror 169350.15.12.3 | Black matt Green plasma mr. 169350.15.04.3 | Black matt Blue HD mirror 169351.15.12.3 | Black matt Red plasma mir. 169351.15.02.3 |
|--|--|--|---|

16:10+
Large Fit



| | | | | | |
|---|---|--|---|--|--|
| White Blue HD mirror 169353.00.12.3 | Black Black light HD 169353.15.11.3 | White Pink plasma mr. 169353.00.05.3 | Black Green plasma mr. 169353.15.04.3 | Blue Green plasma mr. 169353.80.04.3 | Fuchsia Pink plasma mr. 169353.72.05.3 |
|---|---|--|---|--|--|

16:10+ OTG
Large Fit



| | |
|--|---|
| White Pink plasma mr. 169354.00.05.3 | Black Green plasma mr. 169354.15.04.3 |
|--|---|

PERSPECTIVE+
Large Fit



| | | | | |
|---|---|--|---|--|
| White Blue HD mirror 169355.00.12.3 | Black Black light HD 169355.15.11.3 | White Pink plasma mr. 169355.00.04.3 | Black Green plasma mr. 169355.15.05.3 | Infrared Red plasma mr. 169355.50.02.3 |
|---|---|--|---|--|

PERSPECTIVE
Large Fit



| | | | |
|---|--|---|--|
| White Clarity mirror 169357.00.03.3 | White Surround mirror 169357.00.01.3 | Black Clarity mirror 169357.15.03.3 | Black Surround mirror 169357.15.03.3 |
|---|--|---|--|

PROJECTOR+
Medium Fit



| | | | | | |
|---|---|--|---|--|--|
| White Blue HD mirror 169356.00.12.2 | Black Black light HD 169356.15.11.2 | White Pink plasma mr. 169356.00.05.2 | Black Green plasma mr. 169356.15.04.2 | Infrared Red plasma mr. 169356.50.02.2 | Fuchsia Pink plasma mr. 169356.72.05.2 |
|---|---|--|---|--|--|

PROJECTOR
Medium Fit



| | | | |
|---|--|---|--|
| White Clarity mirror 169358.00.03.2 | White Surround mirror 169358.00.01.2 | Black Clarity mirror 169358.15.03.2 | Black Surround mirror 169358.15.01.2 |
|---|--|---|--|

16:9
Medium Fit



| | | | |
|--|---|---|---|
| White Pink plasma mr. 169359.00.05.2 | Black Clarity mirror 169359.15.03.2 | Infrared Surround mirror 169359.50.01.2 | Fuchsia Red plasma mr. 169359.72.02.2 |
|--|---|---|---|

4:3
Small Fit



| | | | | |
|---|---|--|--|---|
| White Green plasma mr. 169360.00.24.1 | Black Clarity mirror 169360.15.03.1 | Black Surround mirror 169360.15.01.1 | Infrared Red plasma mr. 169360.50.22.1 | Blue Surround mirror 169360.80.01.1 |
|---|---|--|--|---|

PROTECTIVE WEAR



| | | | | | |
|---|---|--|--|--|--|
| BODY VEST MAP 2.0 169200.15.S 169200.15.M 169200.15.L 169200.15.XL | BODY VEST MAP 2.0 Women 169210.49.S 169210.49.M 169210.49.L 169210.49.XL | BODY VEST MAP 2.0 Youth 169220.49.S 169220.49.L | BP LIGHT MAP 2.0 169201.15.S 169201.15.M 169201.15.L 169201.15.XL | BP LIGHT MAP 2.0 Women 169211.49.S 169211.49.M 169211.49.L 169211.49.XL | BODY SHORT MAP 168230.15.S 168230.15.M 168230.15.L 168230.15.XL |
|---|---|--|--|--|--|



Marker Basic POS



1

INDOOR BEACH FLAG

Art. No. 197700.0
Material Aluminium, Fibre glass, Polyester
Size 50 x 220cm



2

BANNER

Art. No. 197692.0
Material Polyester
Size 3 x 1m



3

OUTDOOR BEACH FLAG

Art. No. 197696.0
Material Aluminium, Fibre glass, Polyester
Size 80 x 450cm



4

DOOR MAT

Art. No. 197587.1
Material Nylon
Size 90 x 60cm



TABLE FLAG

Art. No. 197829.0
Material Iron, Polyester
Size 10 x 34cm



Marker Helmet & Goggle POS



5

MPSE HIGHLIGHT CUBE


Art. No. 197769.0
Material Iron, Acrylic glass
Size 30 x 40 x 30cm



6

GOGGLE / HELMET DISPLAY

Art. No. 197708.2
Material Iron
Size 8 x 20 x 35 cm



7

MPSE CAGE

Art. No. 197767.0
Material Iron
Size 30 x 40 x 30cm



8

MPSE POLE


Art. No. 197768.0
Material Iron
Size 50 x 200 x 50cm



9

MPSE POLE BASE PLATE


Art. No. 197768.1
Material Iron
Size 20 x 35 x 4cm



10

MPSE POLE MOUNTING CLAMPS

Art. No. 197768.3
Material Iron
Size 6 x 6 cm





MARKER IS A MEMBER OF MDV SPORTS

MARKER

DALBELLO

VÖLKI

MARKER.NET | MDVSPORTS.COM

IMPRINT

INTERNATIONAL HEADQUARTER

Marker Deutschland GmbH
Dr. Gotthilf-Näher-Strasse 6
82377 Penzberg
Germany
Ph: +49 (0) 8856 8000-0
Fax: +49 (0) 8856 8000-271
info@marker.de



Photography: Adam Clark, Peter Mathis, GEPA,
Michael Mayer, Pally Learmond
Created & produced by: yearning.de

Marker, Marker Alpinist, Kingpin, GripWalk, X-Cell,
Piston, Glide, Fastrak, Duke, Jester, Baron, Griffon,
Squire, Schizo, Ampire, are registered trademarks
of Marker Dalbello Völki (International) GmbH and
other marks are pending.

© 2019 by Marker. Subject to alternation